SECTION 404 (2) (a) (ii) PRIMARY DIAGNOIS OF CONSUMERS SERVED FY 2006

Overview

This section shows the primary diagnoses for the 207,407 consumers served during FY06 as reported to the encounter data Warehouse. The most common diagnosis was major depression (16.0%), followed by mental retardation (11.2%) and bi-polar disorder (11.1%).

CMHSP Client Level Encounter Data Primary Diagnosis Breakdown Fiscal Year 2005-2006 State of Michigan

Primary Diagnosis	Total Served
Major Depression	33,128
Mental Retardation	23,196
Bipolar Disorder	23,041
Other psychotic	16,736
Attention Deficit and Disruptive Beh	15,956
Schizophrenia	14,270
Adjustment Disorders	12,350
Depressive Disorder NOS	11,074
Deferred	10,005
Anxiety Disorder	7,649
Mood disorder NOS	6,776
Substance-abuse related	5,499
Dysthymic Disorder	3,998
Pervasive Developmental Disorder	3,258
Panic & Obessive Compulsive Disorder	2,243
Impulse Control Disorders	1,674
Other Disorders from Infancy/Childhood	1,647
Delirium, Dementia and Amnestic and Other Cognitive Disorder	1,622
Personality Disorders Axis II	1,137
Unspecified Mental Disorder	838
Motor Skills Disorder	312
Mental Disorder due to a General Medical Condition	233
Eating Disorder	120
Sexual and Gender Identity Disorder	93
Communication Disorder	83
Dissociative Disorder	75
Tic Disorders	73
Somatoform Disorder	54
Elimination Disorders	53
Learning Disorder	50
Sleep Disorders	42
Feeding Eating Disorders of Infancy	25
Factitious Disorder	10
Other Conditions	8
Missing/Unknown	10,079
Total	207,407